This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- Claim 1 (currently amended): A gaming terminal comprising:
- a primary wagering game operable upon a wager by a player;
- a plurality of player selectable symbols in said primary wagering game;
- a display device; and
- a processor in communication with said display device and operable to: enable the player to initiate a play of the primary wagering game and for said play of the primary wagering game to:
  - (a) enable the player to select one or more of said player selectable symbols.
- (b) associate at least one of the player selected symbols with one of a plurality of predefined symbols.
- (c) associate at least one of the predefined symbols with a different one of said player selected symbols,
  - (d) receive a game outcome seed from a central controller,
  - (e) determine a game outcome based on said received game outcome seed,
- generate one or more game symbols based on said received game outcome seed,
  - (g) for each of said player selected symbols:
    - (i) <u>determine if said player selected symbol is associated with one of</u> the predefined symbols, and
    - (ii) if said player selected symbol is associated with one of the predefined symbols, present said predefined symbol to the player.
  - (h) for each of said predefined symbols:
    - (i) determine if said predefined symbol is associated with one of the player selected symbols, and
    - (ii) if said predefined symbol is associated with one of the player selected symbols, present said player selected symbol to the player,

## modify at least one of said-generated game symbols,

- (i) present to the player each medified symbol and at least one of the remaining unmedified-generated symbols, and
- $\widehat{\mbox{(i)}}$  provide the player the determined game outcome in the primary wagering game.

Claim 2 (original): The gaming terminal of Claim 1, wherein said processor is operable to receive a plurality of game outcome seeds from said central controller.

Claim 3 (original): The gaming terminal of Claim 1, wherein said player selectable symbols are numbers in a keno game.

Claim 4 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said game outcome set includes a plurality of predetermined game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes;

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to output said selected game outcome seed; and

at least one gaming terminal including a display device and a processor in communication with said display device operable to: enable a player to initiate a <u>play of</u> a primary wagering game, and for said play of the primary wagering game to:

- (a) receive said selected game outcome from said central controller,
- (b) determine a game outcome based on said selected game outcome seed,
- (c) enable the player to pick one or more symbols from a plurality of symbols in said primary wagering game,
- (d) <u>associate at least one of the player selected symbols with one of a plurality of predefined symbols,</u>
- (e) associate at least one of the predefined symbols with a different one of said player selected symbols,
- (f) generate one or more game symbols based on said selected game outcome seed,
  - (g) for each of said player selected symbols:
    - (i) <u>determine if said player selected symbol is associated with one of</u> the predefined symbols, and
    - (ii) if said player selected symbol is associated with one of the predefined symbols, present said predefined symbol to the player,
  - (h) for each of said predefined symbols:
    - (i) determine if said predefined symbol is associated with one of the player selected symbols, and

- (ii) If said predefined symbol is associated with one of the player selected symbols, present said player selected symbol to the player.
- modify at least one of said generated game symbols,
- (i) present to the player each modified game symbol and each of the remaining unmodified generated game symbols, and
- (j) provide the player the determined game outcome in the primary wagering game.

Claim 5 (original): The central determination gaming system of Claim 4, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 6 (original): The central determination gaming system of Claim 4, which includes a plurality of game outcome seed sets.

Claim 7 (original): The central determination gaming system of Claim 4, wherein said symbols are numbers in a keno game.

Claim 8 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said set includes a plurality of game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes; and

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to communicate said selected game outcome seed to at least one gaming terminal, wherein said gaming terminal includes a processor operable to: enable a player to initiate a play of a primary wagering game and for said play of the primary wagering game to: T

- (a) determine a game outcome based on the selected game outcome seed.
- (b) enable the player to pick one or more selectable symbols from a plurality of selectable symbols in said primary wagering game,
- (c) associate at least one of the player selected symbols with one of a plurality of predefined symbols.
- (d) associate at least one of the predefined symbols with a different one of said player selected symbols,
- generate one or more game symbols based on said selected game outcome seed,
  - (f) for each of said player selected symbols:
    - (i) <u>determine if said player selected symbol is associated with one of</u> the predefined symbols, and
    - (ii) if said player selected symbol is associated with one of the predefined symbols, present said predefined symbol to the player,
  - (g) for each of said predefined symbols:
    - (i) determine if said predefined symbol is associated with one of the player selected symbols, and
    - (ii) if said predefined symbol is associated with one of the player selected symbols, present said player selected symbol to the player.

## modify at least one of said generated game symbols,

- (h) present to the player each modified symbol and at least one of the remaining unmodified generated game symbols, and
- (i) provide the player the determined game outcome in the primary wagering game.

Claim 9 (original): The central determination gaming system of Claim 8, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 10 (original): The central determination gaming system of Claim 8, which includes a plurality of game outcome seed sets.

Claim 11 (original): The central determination gaming system of Claim 8, wherein said central controller is operable to select a plurality of game outcome seeds from said game outcome seed set for a plurality of gaming terminals.

Claim 12 (original): The central determination gaming system of Claim 8, wherein said symbols are numbers in a keno game.

Claim 13 (currently amended): A gaming terminal comprising:

- a primary wagering game operable upon a wager by a player;
- a plurality of predefined symbols associated with said primary wagering game;
- a plurality of player selectable symbols;
- a display device; and

a processor in communication with said display device and operable to: enable the player to initiate a play of the primary wagering game and for said play of the primary wagering game to: enable the player to select one or more of said player selectable symbols, bidirectionally map each player selected symbol with one of said predefined symbols, receive a game outcome seed from a central controller, generate one or more game symbols based on said received game outcome seed, modify based on said bidirectional map each generated game symbol that is one of the player's selected symbols or one of the bidirectionally mapped predefined symbols, present each modified symbol and each remaining unmodified generated symbol to the player and provide the player a game outcome in the primary wagering game, wherein said provided game outcome is based the number of matches between the player's picked symbols and the gaming terminal presented symbols.

Claim 14 (original): The gaming terminal of Claim 13, wherein said processor is operable to receive a plurality of game outcome seeds from said central controller.

Claim 15 (original): The gaming terminal of Claim 13, wherein said player selectable symbols are numbers in a keno game.

Claim 16 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said game outcome set includes a plurality of predetermined game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes;

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to output said selected game outcome seed; and

at least one gaming terminal including a display device and a processor in communication with said display device operable to: enable a player to initiate a play of a primary wagering game and for said play of the primary wagering game to: receive said selected game outcome from said central controller, enable the player to pick one or more symbols from a plurality of symbols in said primary wagering game, bidirectionally map the each one of the player's picked symbols with a different one of said-a plurality of predefined symbols, generate one or more game symbols based on said selected game outcome seed, modify each generated game symbol that is one of the player's picked symbols or one of said predefined symbols wherein said modification is based on said bidirectional map, indicate each modified symbol and each remaining unmodified generated game symbol to the player and provide the player a game outcome in the primary wagering game wherein said provided game outcome is based the number of matches between the player's picked symbols and the indicated symbols.

Claim 17 (original): The central determination gaming system of Claim 16, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 18 (original): The central determination gaming system of Claim 16, which includes a plurality of game outcome seed sets.

Appl. No. 10/601,482 Response to Office Action of May 9, 2006

Claim 19 (original): The central determination gaming system of Claim 16, wherein said symbols are numbers in a keno game.

Claim 20 (original): A central determination gaming system comprising:

a game outcome seed set, wherein said set includes a plurality of game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes; and

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to communicate said selected game outcome seed to at least one gaming terminal, wherein said gaming terminal includes a processor operable to: enable a player to initiate a primary wagering game wherein said primary wagering game is associated with a plurality of predefined symbols, enable the player to pick one or more selectable symbols from a plurality of selectable symbols in said primary wagering game, bidirectionally map each of the player's picked symbols with a different one of said associated predefined symbols, generate one or more game symbols based on said selected game outcome seed, modify each generated game symbol that is one of the player's picked symbols or one of the associated predefined symbols wherein said modification is based on said bidirectional map, to indicate each modified symbol and each remaining unmodified generated game symbol to the player and provide the player a game outcome in the primary wagering game wherein said provided game outcome is based the number of matches between the player's picked symbols and the indicated symbols.

Claim 21 (original): The central determination gaming system of Claim 20, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 22 (original): The central determination gaming system of Claim 20, which includes a plurality of game outcome seed sets.

Appl. No. 10/601,482 Response to Office Action of May 9, 2006

Claim 23 (original): The central determination gaming system of Claim 20, wherein said central controller is operable to select a plurality of game outcome seeds from said game outcome seed set for a plurality of gaming terminals.

Claim 24 (original): The central determination gaming system of Claim 20, wherein said selectable symbols are numbers in a keno game.

Claim 25 (currently amended): A gaming terminal comprising:

- a primary wagering keno game operable upon a wager by a player;
- a plurality of predefined symbols associated with said primary wagering keno game;
  - a plurality of player selectable symbols;
  - a display device; and
- a processor in communication with said display device and operable to: enable the player to initiate a <u>play of</u> the primary wagering keno game and for said play of the primary wagering keno game to: <sub>T</sub>
  - (a) receive a game outcome seed from a central controller,
- (b) determine a game outcome in said primary wagering keno game based on said game outcome seed,
- (c) enable the player to select a set of symbols in said primary wagering keno game,
  - (d) generate a set of symbols based on said received game outcome seed,
  - (e) modify said generated set of symbols by:
  - associating each one of the player selected symbols with a different one of said predefined symbols,
  - (ii) associating each of the predefined symbols with a different one of said player selected symbols, and
  - (iii) for each symbol in the set which is associated with another one of said symbols, replacing said symbol in the set with its respective associated symbol.
  - (f) indicate said set of modified symbols to the player, and
- (g) provide the player the determined game outcome in said primary wagering keno game.

Claim 26 (original): The gaming terminal of Claim 25, wherein said processor is operable to receive a plurality of game outcome seeds from said central controller.

Claim 27 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said game outcome set includes a plurality of predetermined game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes:

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to output said selected game outcome seed; and

at least one gaming terminal including a display device and a processor in communication with said display device operable to: enable a player to initiate a <u>play of</u> a keno game and for said play of the keno game to: <sub>T</sub>

- (a) receive said selected game outcome seed from said central controller,
- (b) determine a game outcome in said keno game based on said game outcome seed,
  - (c) enable the player to select a set of selections in said keno game,
  - (d) generate a set of selections based on said received game outcome seed,
  - (e) modify said generated set of selections by:
  - (i) associating each one of the player selected selections with a different one of a plurality of predefined selections.
  - (ii) associating each of the predefined selections with a different one of said player selected selections, and
  - (iii) for each selection in the set which is associated with another one of said selections, replacing said selection in the set with its respective associated selection.
  - (f) indicate said set of modified selections to the player, and
  - (g) provide the player the determined game outcome in the keno game.

Claim 28 (original): The central determination gaming system of Claim 27, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 29 (original): The central determination gaming system of Claim 27, which includes a plurality of game outcome seed sets.

Claim 30 (currently amended): A gaming terminal comprising:

- a primary wagering game operable upon a wager by a player:
- a plurality of predefined symbols associated with said primary wagering game;
- a plurality of player selectable symbols;
- a display device; and

a processor in communication with said display device and operable to: enable the player to initiate a player of the primary wagering game and for said play of the primary wagering game to: enable the player to select a plurality of said player selectable symbols, bidirectionally map each player selected symbol and each player non-selected symbol with a different one of said predefined symbols, receive a game outcome seed from a central controller, determine a game outcome based on said received game outcome seed, generate a plurality of game symbols based on said received game outcome seed, modify each generated game symbol based on said bidirectional map, present to the player each modified symbol and provide the determined game outcome to the player in the primary wagering game.

Claim 31 (original): The gaming terminal of Claim 30, wherein said processor is operable to receive a plurality of game outcome seeds from said central controller.

Claim 32 (original): The gaming terminal of Claim 30, wherein said player selectable symbols are numbers in a keno game.

Appl. No. 10/601,482 Response to Office Action of May 9, 2006

Claim 33 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said game outcome set includes a plurality of predetermined game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes;

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to output said selected game outcome seed; and

at least one gaming terminal including a display device and a processor in communication with said display device operable to: enable a player to initiate a play of a primary wagering game and for said play of the primary wagering game to:, receive said selected game outcome from said central controller, determine a game outcome based on said selected game outcome seed, enable the player to pick one or more symbols from a plurality of symbols in said primary wagering game, bidirectionally map each one of the player's picked symbols and each one of the player's non-picked symbols with a different one of said-a plurality of predefined symbols, generate one or more game symbols based on said selected game outcome seed, modify each generated game symbol based on said bidirectional map, present to the player each modified symbol and provide the determined game outcome to the player in the primary wagering game.

Claim 34 (original): The central determination gaming system of Claim 33, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 35 (original): The central determination gaming system of Claim 33, which includes a plurality of game outcome seed sets.

Claim 36 (original): The central determination gaming system of Claim 33, wherein said symbols are numbers in a keno game.

Claim 37 (original): A central determination gaming system comprising:

a game outcome seed set, wherein said set includes a plurality of game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes; and

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to communicate said selected game outcome seed to at least one gaming terminal, wherein said gaming terminal includes a processor operable to: enable a player to initiate a primary wagering game wherein said primary wagering game is associated with a plurality of predefined symbols, determine a game outcome based on the selected game outcome seed, enable the player to pick a plurality of selectable symbols from a plurality of selectable symbols in said primary wagering game, bidirectionally map each of the player's picked symbols and each of the player's non-picked symbols with a different one of said associated predefined symbols, generate a plurality of game symbols based on said selected game outcome seed, modify each generated game symbol based on said bidirectional maps, present to the player each modified symbol and provide the determined game outcome to the player in the primary wagering game.

Claim 38 (original): The central determination gaming system of Claim 37, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 39 (original): The central determination gaming system of Claim 37, which includes a plurality of game outcome seed sets.

Claim 40 (original): The central determination gaming system of Claim 37, wherein each set of predefined symbols includes a plurality of predefined symbols.

Claim 41 (original): The central determination gaming system of Claim 37, wherein said central controller is operable to select a plurality of game outcome seeds from said game outcome seed set for a plurality of gaming terminals.

Claim 42 (currently amended): A gaming terminal comprising:

- a primary wagering keno game operable upon a wager by a player;
- a plurality of symbols;
- a display device; and
- a processor in communication with said display device and operable to: enable the player to initiate <u>a play of</u> the primary wagering game <u>and for said play of the</u> primary wagering game to:
  - (a) enable the player to select one or more of said symbols,
  - (b) receive a game outcome seed from a central controller,
  - (c) determine a game outcome based on said received game outcome seed,
- (d) randomly generate a set of symbols based on said received game outcome seed,
- (e) modify said generated set of symbols, wherein said modification is based on said determined game outcome <u>and includes:</u>
  - (i) associating each one of the player selected symbols with a different one of a plurality of predefined symbols,
  - (ii) associating each of the predefined symbols with a different one of said player selected symbols, and
  - (iii) for each symbol in the set which is associated with another one of said symbols, replacing said symbol in the set with its respective associated symbol.
  - (f) mark one or more symbols of said modified set of symbols-,
- (g) mark one or more of said remaining non-modified and non-player selected symbols,
  - (h) present said marked symbols to the player, and

(i) provide the player the determined game outcome in the primary wagering game.

Claim 43 (original): The gaming terminal of Claim 42, wherein said processor is operable to receive a plurality of game outcome seeds from said central controller.

Claim 44 (original): The gaming terminal of Claim 30, wherein said symbols are numbers in a keno game.

Claim 45 (currently amended): A central determination gaming system comprising:

a game outcome seed set, wherein said game outcome set includes a plurality of predetermined game outcome seeds and at least two of said game outcome seeds are deterministic of different game outcomes:

a central controller operable to select one of said game outcome seeds from said game outcome seed set, to prevent said selected game outcome seed from further selection from said game outcome seed set and to output said selected game outcome seed; and

at least one gaming terminal including a display device and a processor in communication with said display device operable to: enable a player to initiate a <u>play of a primary wagering game and for said play of the primary wagering game to:</u>

- (a) receive said selected game outcome from said central controller.
- (b) determine a game outcome based on said selected game outcome seed,
- (c) enable the player to pick one or more symbols from a plurality of symbols in said primary wagering game,
- (d) randomly generate a set of symbols based on said received game outcome seed.
- (e) modify said generated set of symbols, wherein said modification is based on said determined game outcome <u>and includes:</u>
  - (i) associating each one of the player selected symbols with a different one of a plurality of predefined symbols,
  - (ii) associating each of the predefined symbols with a different one of said player selected symbols, and
  - (iii) for each symbol in the set which is associated with another one of said symbols, replacing said symbol in the set with its respective associated symbol,
  - (f) mark one or more symbols of said modified set of symbols,
- (g) mark one or more of said remaining non-modified and non-player selected symbols,

- (h) present to the player each marked symbol, and
- (i) provide the determined game outcome to the player in the primary wagering game.

Claim 46 (original): The central determination gaming system of Claim 45, wherein said game outcome seed set includes a plurality of each game outcome seed.

Claim 47 (original): The central determination gaming system of Claim 45, which includes a plurality of game outcome seed sets.

Claim 48 (original): The central determination gaming system of Claim 45, wherein said symbols are numbers in a keno game.

Claim 49 (currently amended): A method of operating a gaming terminal comprising the steps of:

- (a) enabling a player to initiate a primary wagering game;
- (b) enabling the player to pick one or more symbols in said primary wadering game:
- associating at least one of the player selected symbols with one of a plurality of predefined symbols;
- (d) associating at least one of the predefined symbols with a different one of said player selected symbols;
  - (ee) receiving a game outcome seed from a central controller:
- $\mbox{ \begin{tabular}{ll} $(\mbox{$\underline{d}$}\underline{f})$ & determining a game outcome based on said received game outcome seed; \end{tabular}}$
- (eg) generating one or more game symbols based on the received game outcome seed;
  - (h) for each of said player selected symbols:
  - (i) <u>determining if said player selected symbol is associated with</u> one of the predefined symbols, and
  - (ii) if said player selected symbol is associated with one of the predefined symbols, presenting said predefined symbol to the player.
  - (i) for each of said predefined symbols:
  - (i) <u>determining if said predefined symbol is associated with one</u> of the player selected symbols, and
  - (ii) if said predefined symbol is associated with one of the player selected symbols, presenting said player selected symbol to the player,
  - (f) modifying at least one of said generated game symbols;
- (gj) presenting each-modified-game-symbol-and-at least one of said remaining unmedified-generated game symbols, if any, to the player; and
  - $(h\underline{k})$  providing the player the determined game outcome.

Claim 50 (original): A method of operating a gaming terminal comprising the steps of:

- (a) enabling a player to initiate a primary wagering game;
- (b) enabling the player to pick one or more symbols in said primary wagering game;
- (c) bidirectionally mapping each player picked symbol with a different predefined symbol;
  - (d) receiving a game outcome seed from a central controller:
- (e) determining a game outcome based on said received game outcome seed;
- (f) generating one or more game symbols based on the received game outcome seed;
- (g) modifying each game symbol that is one of the player picked symbols, wherein said modification is based on said bidirectional map;
- (h) modifying each game symbol that is one of the predefined symbols, wherein said modification is based on said bidirectional map;
- (i) indicated each modified game symbol and each remaining non-modified game symbol to the player; and
  - (i) providing the player the determined game outcome.

Claim 51 (original): A method of operating a gaming terminal comprising the steps of:

- (a) enabling a player to initiate a primary wagering game;
- (b) enabling the player to pick one or more symbols in said primary wagering game;
- (c) bidirectionally mapping each player picked symbol and each nonpicked symbol with a different predefined symbol;
  - (d) receiving a game outcome seed from a central controller;
- $\mbox{(e)} \quad \mbox{generating one or more game symbols based on the received} \\ \mbox{game outcome seed;}$ 
  - (f) modifying each game symbol based on said bidirectional map;
  - (g) indicated each modified game symbol to the player; and
- (h) providing the player a game outcome based on said received game outcome seed.

Claim 52 (currently amended): A method of operating a gaming terminal comprising the steps of:

- (a) enabling a player to initiate a primary wagering game, wherein said primary wagering game includes a plurality of symbols;
- (b) enabling the player to select one or more of said symbols in said primary wagering game;
  - (c) receiving a game outcome seed from a central controller;
- (d) determining a game outcome based on said received game outcome seed;
- (e) randomly generating a set of symbols based on said received game outcome seed;
- (f) modifying said generated set of symbols, wherein said modification is based on said determined game outcome <u>and includes</u>:
  - (i) associating each one of the player selected symbols with a different one of a plurality of predefined symbols.
  - (iii) associating each of the predefined symbols with a different one of said player selected symbols, and
  - (iii) for each symbol in the set which is associated with another one of said symbols, replacing said symbol in the set with its respective associated symbol;
  - (g) marking one or more symbols of said modified set of symbols;
- (h) marking one or more of said remaining non-modified and nonplayer selected symbols;
  - (i) presenting said marked symbols to the player; and
  - (j) providing the determined game outcome to the player.